

**BHAUSAHEB MULAK AYURVED COLLEGE & RESEARCH HOSPITAL, BUTIBORI**

**DEPARTMENTWISE INSTRUMENTS AND EQUIPMENTS LIST AS PER MSR**


**(A). DETAILS OF EQUIPMENTS AND INSTRUMENTS REQUIRED FOR PHYSIOLOGY LABORATORY**

Sr.No	Equipment and Instruments	Required as per MSR (for Capacity of 61 to 100)	Available Quantity	Details onCollege Website	Adequate/ Inadequate
1	Microscopes with oil immersion	Fifty	Fifty	Yes	Adequate
2	Westergen's pipette for ESR	Hundred	Hundred	Yes	Adequate
3	Haematocrit Tube	Hundred	Hundred	Yes	Adequate
4	Sahli's Haemoglobinometer	Hundred	Hundred	Yes	Adequate
5	Haemocytometer	Hundred	Hundred	Yes	Adequate
6	Electrocardiograph	One	One	Yes	Adequate
7	Stop watches	Hundred	Hundred	Yes	Adequate
8	Water Distillation still	One	One	Yes	Adequate
9	Balances	One	One	Yes	Adequate
10	Centrifuge with speed control	Six	Six	Yes	Adequate
11	Colorimeter (photoelectric)	Six	Six	Yes	Adequate
12	pH meter Electric	One	One	Yes	Adequate
13	pH comparator with disc	One	One	Yes	Adequate
14	Sphygmomanometer	Fifty	Fifty	Yes	Adequate
15	Stethoscopes	Hundred	Hundred	Yes	Adequate
16	Clinical Thermometer	Hundred	Hundred	Yes	Adequate
17	Knee Hammer	Hundred	Hundred	Yes	Adequate
18	Tuning forks	Hundred	Hundred	Yes	Adequate
19	Sterilizer	Five	Five	Yes	Adequate
20.	Refrigerator	One	One	Yes	Adequate
21.	Newton's colour wheelIn a batch	One	One	Yes	Adequate
22.	Cover slips, glassware, Microslides	Assorted	Available	Yes	Adequate



**(B) DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR DISSECTION HALL**


S. No.	Instruments and Equipments	Required as per MSR (for Capacity of 61 to 100)	Available Quantity	Details on College Website	Adequate/ Inadequate
1.	Tank with a capacity to preserve 2-4 bodies.	Assorted	Available	Yes	Adequate
2.	Machines for bones and brain sectioning	Assorted	Available	Yes	Adequate
3.	Dissection Sets	Twenty-five sets	Twenty-five sets	Yes	Adequate
4.				Yes	Adequate
a)	Full size with steel top or marble top stainless	Six	Six	Yes	Adequate
b)	Half size with steel top or marble top stainless	Ten	Ten	Yes	Adequate
5.	X-ray viewing box or panels	Three	Three	Yes	Adequate
6.	Bone cutter of the number $\frac{3}{4}$ , $\frac{1}{2}$ , $\frac{1}{4}$ , $\frac{1}{8}$ - fine pointed Chisel bone dissector	Assorted	Available	Yes	Adequate
7.	Glass jars of different sizes	Assorted	Available	Yes	Adequate
8.	Preservative Chemicals	Assorted	Available	Yes	Adequate



**(C) DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR RASASHASTRA AND BHAISHAJYA KALPANA LABORATORY**

Sr. No.	Equipment and Instruments	Required as per MSR (for Capacity of 61 to 100)	Available Quantity	Details on College Website	Adequate/ Inadequate
1.	<b>Khalva Yantra-</b>				
a)	Small	Twenty	Twenty	Yes	Adequate
b)	Medium	Twenty	Twenty	Yes	Adequate
c)	Porcelain	Twenty	Twenty	Yes	Adequate
d)	Taptakhalvyantra	Four	Four	Yes	Adequate
2.	Pounding Apparatus (Ulukhala Yantra)	Twenty	Twenty	Yes	Adequate
3.	Putas (Different kind)	Ten	Ten	Yes	Adequate
4.	Moosha (Crucibles)	Fifty	Fifty	Yes	Adequate
5.	Koshti with Blower	Four	Four	Yes	Adequate
6.	<b>Yantras</b>				
a)	Dola Yantra	One	One	Yes	Adequate
b)	Valuka Yantra	One	One	Yes	Adequate
c)	Pithara Yantra	One	One	Yes	Adequate
d)	Bhudhara Yantra etc.	One	One	Yes	Adequate
7.	Distillation Apparatus and Arka Yantra	Six	Six	Yes	Adequate
8.	Kupipakva Bhatti	One	One	Yes	Adequate
9.	Wet Grinder	One	One	Yes	Adequate
10.	Mixi	One	One	Yes	Adequate
11.	Juice Extractor	One	One	Yes	Adequate
12.	Refrigerator	One	One	Yes	Adequate
13.	Almiras and Racks for storage	Assorted	Available	Yes	Adequate
14.	<b>Balance (Different Capacities)</b>				
a)	Physical	One	One	Yes	Adequate
b)	Chemical	One	One	Yes	Adequate
c)	Electronic Balance	One	One	Yes	Adequate
15.	<b>Heating Device-</b>				
a)	Gas Stove	Assorted	Available	Yes	Adequate
b)	Hot plate	Assorted	Available	Yes	Adequate
c)	Chulla (Charcoal)	Assorted	Available	Yes	Adequate
16.	<b>Big Vessels and Containers-</b>				
a)	Brass	Assorted	Available	Yes	Adequate

b)	Copper	Assorted	Available	Yes	Adequate
c)	Steel etc.	Assorted	Available	Yes	Adequate
d)	Earthen Vessels-Pots	Assorted	Available	Yes	Adequate
17.	Jars(Porcelain) Fermentation Purpose	Assorted	Available	Yes	Adequate
18.	Enamel Trays	Assorted	Available	Yes	Adequate
19.	Spirit Lamp	Assorted	Available	Yes	Adequate
20.	Pressure Cooker	Assorted	Available	Yes	Adequate
21.	Measuring Equipments Different Size (Glass)	Assorted	Available	Yes	Adequate
22.	Pyrometer	Assorted	Available	Yes	Adequate
23.	Thermo meter	Assorted	Available	Yes	Adequate
24.	<b>Vessels</b>				
a)	Frying Pan	Assorted	Available	Yes	Adequate
b)	Steel Vessel	Assorted	Available	Yes	Adequate
c)	Spatula	Assorted	Available	Yes	Adequate
d)	Ladles and Spoons	Assorted	Available	Yes	Adequate
e)	Knife	Assorted	Available	Yes	Adequate
f)	Plates	Assorted	Available	Yes	Adequate
g)	Samdamsa Yantra(Tongs)	Assorted	Available	Yes	Adequate
25.	Sieves (Assorted Nos. and Size)	Assorted	Available	Yes	Adequate




(D) DETAILS OF EQUIPMENTS AND INSTRUMENTS REQUIRED FOR PHARMACOGNOSY LABORATORY [DRAVYAGUNA]

S.No.	Equipment and Instruments	Required as per MSR (for Capacity of 61 to 100)	Available Quantity	Details on College Website	Adequate/ Inadequate
1.	Field magnifier	One	One	Yes	Adequate
2.	Compound microscope	One	One	Yes	Adequate
3.	Dissecting Microscope	One	One	Yes	Adequate
4.	Microscope	Twenty-five	Twenty-five	Yes	Adequate
5.	Electronic balance	Two	Two	Yes	Adequate
6.	Slides box with cover slips,	Assorted	Available	Yes	Adequate
7.	Blotting/filter papers	Assorted	Available	Yes	Adequate
8.	Dissection Box	Assorted	Available	Yes	Adequate
9.	Enamel Trays	Assorted	Available	Yes	Adequate
10.	<b>Reagents-</b>				
a.	Chloroform	Assorted	Available	Yes	Adequate
b.	Alcohol.	Assorted	Available	Yes	Adequate
c.	HCL	Assorted	Available	Yes	Adequate
d.	Sulphuric acid	Assorted	Available	Yes	Adequate
e.	Sodium, potassium hydroxide	Assorted	Available	Yes	Adequate
f.	Benedict solution	Assorted	Available	Yes	Adequate
g.	Sodium nitrate	Assorted	Available	Yes	Adequate
h.	Potassium nitrate	Assorted	Available	Yes	Adequate
i.	Citric acid	Assorted	Available	Yes	Adequate
j.	Iodine	Assorted	Available	Yes	Adequate
k.	Ethyl Alcohol	Assorted	Available	Yes	Adequate
l.	Potassium Iodide	Assorted	Available	Yes	Adequate
m.	Xylol/pure xylene (slide preparation)	Assorted	Available	Yes	Adequate



**(E) DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR ROGVIGYAN LABORATORY**

S.No.	Equipment and Instruments	Required as per MSR (for Capacity of 61 to 100)	Available Quantity	Details on College Website	Adequate/ Inadequate
1.	Binocular microscope	Twenty-five	Twenty-five	Yes	Adequate
2.	Microscope with oil immersion	Twenty-five	Twenty-five	Yes	Adequate
3.	Monocular microscope with oil emersion lens20(e)	Twenty-five	Twenty-five	Yes	Adequate
4.	X-ray view box	One	One	Yes	Adequate
5.	Sahli's Square tube	Fifty	Fifty	Yes	Adequate
6.	Hb pipette	Fifty	Fifty	Yes	Adequate
7.	WBC Pipette	Fifty	Fifty	Yes	Adequate
8.	Dropper	Fifty	Fifty	Yes	Adequate
9.	Red cell pipette	Fifty	Fifty	Yes	Adequate
10.	Improved Neubauer chamber	Fifty	Fifty	Yes	Adequate
11.	Incubator	Two	Two	Yes	Adequate
12.	Wintrobe's tube	Fifty	Fifty	Yes	Adequate
13.	Pasteur's pipette	Fifty	Fifty	Yes	Adequate
14.	Centrifuge Graduated Machine	Two	Two	Yes	Adequate
15.	Westregrens pipette	Fifty	Fifty	Yes	Adequate
16.	Westergrens's stand	Fifty	Fifty	Yes	Adequate
17.	Urinometer	Fifty	Fifty	Yes	Adequate
18.	Autoclave	One	One	Yes	Adequate
19.	Ultraviolet lamp	One	One	Yes	Adequate
20.	Cell counter (haemoautoanalyser)	One	One	Yes	Adequate
21.	BP Apparatus	Fifty	Fifty	Yes	Adequate
22.	Stethoscope	Fifty	Fifty	Yes	Adequate
23.	Thermometer	Fifty	Fifty	Yes	Adequate
24.	Tongue depressor	Fifty	Fifty	Yes	Adequate
25.	Stop watch	Fifty	Fifty	Yes	Adequate
26.	Physical balance	One	One	Yes	Adequate
27.	Hot air oven	One	One	Yes	Adequate
28.	Bunsen burner	Fifty	Fifty	Yes	Adequate
29.	Refrigerator	One	One	Yes	Adequate



30.	Sterile vessels/bottle to collect samples	Assorted	Available	Yes	Adequate
31.	Torch	Assorted	Available	Yes	Adequate
32.	Knee hammer	Assorted	Available	Yes	Adequate
33.	Measuring Tape	Assorted	Available	Yes	Adequate
34.	ENT examination set	Assorted	Available	Yes	Adequate
35.	Reflectors(Mirrors)	Assorted	Available	Yes	Adequate
36.	Weighing machine	One	One	Yes	Adequate
37.	Tuning Forks	Assorted	Available	Yes	Adequate
38.	Nasal speculum	Assorted	Available	Yes	Adequate
39.	Laryngoscope	Assorted	Available	Yes	Adequate
40.	Catheters	Assorted	Available	Yes	Adequate
41.	Probes	Assorted	Available	Yes	Adequate
42.	HBs Ag kit	Assorted	Available	Yes	Adequate
43.	HIV kit - Tridot (method by T Mitra)	Assorted	Available	Yes	Adequate
44.	CT and BT kit	Assorted	Available	Yes	Adequate
45.	Renal profile, LET kit, Lipid profile, Blood, Sugar kit	Assorted	Available	Yes	Adequate
46.	Sterile disposable lancet/needle	Assorted	Available	Yes	Adequate
47.	Glass rod	Assorted	Available	Yes	Adequate
48.	Syringe needle destroyer	Assorted	Available	Yes	Adequate
49.	Cover slip	Assorted	Available	Yes	Adequate
50.	Cleaned slides	Assorted	Available	Yes	Adequate
51.	Litmus paper	Assorted	Available	Yes	Adequate
52.	pH indicator paper strips	Assorted	Available	Yes	Adequate
53.	Test tube	Assorted	Available	Yes	Adequate
54.	Separating funnels of various sizes	Assorted	Available	Yes	Adequate
55.	Glass Jars with lid of different sizes	Assorted	Available	Yes	Adequate
56.	Capillary Tubes	Assorted	Available	Yes	Adequate
57.	Rubber sheat	Assorted	Available	Yes	Adequate
58.	Magnifying lens	Assorted	Available	Yes	Adequate
59.	Water bath	Assorted	Available	Yes	Adequate
60.	Multi stix	Assorted	Available	Yes	Adequate



**(F) DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR LABOUR ROOM**

S.No.	Equipment and Instruments	Required Quantity	Available Quantity	Details on College Website	Adequate/ Inadequate
1.	Shadowless Lamp	One	One	Yes	Adequate
2.	Suction Machine (Neonatal)	One	One	Yes	Adequate
3.	Oxygen Cylinder and Mask	One	One	Yes	Adequate
4.	FoetalToco Cardiograph	One	One	Yes	Adequate
5.	Radiant Warmer	One	One	Yes	Adequate
6.	Photo therapy Unit	One	One	Yes	Adequate
7.	Weighing Machine (Paediatric)	One	One	Yes	Adequate
8.	Patient trolley	Two	Two	Yes	Adequate
9.	Anaesthesia trolley	One	One	Yes	Adequate
10.	Infantometer	One	One	Yes	Adequate
11.	Vacuum extractor	One	One	Yes	Adequate
12.	Foetal Doppler	One	One	Yes	Adequate
13.	Low cavity forceps	Two	Two	Yes	Adequate
14.	Steriliser	Two	Two	Yes	Adequate
15.	Machintosh rubber sheet	Assorted	Available	Yes	Adequate
16.	Instruments for labour and Episiotomy. (Scissors, forceps, needle holders etc.)	Assorted	Available	Yes	Adequate
17.	Baby tray	Two	Two	Yes	Adequate
18.	Nebuliser	One	One	Yes	Adequate
19.	Foetoscope	Five	Five	Yes	Adequate
20.	Auto Clave	One	One	Yes	Adequate
21.	Drums	Assorted	Available	Yes	Adequate
22.	Instrumental Trolley	Assorted	Available	Yes	Adequate
23.	OT tables and head Up and head Low facility	One	One	Yes	Adequate
24.	Pulse Oximeter	One	One	Yes	Adequate
25.	Resuscitation kit	One	One	Yes	Adequate
26.	Boyle's apparatus	One	One	Yes	Adequate
27.	Electrocautery	One	One	Yes	Adequate
28.	MTP Suction Machine	One	One	Yes	Adequate
29.	Anaesthesia Kit	One	One	Yes	Adequate






30.	Blunt and Sharp Curettes	Ten	Ten	Yes	Adequate
31.	Dilators set (Hegar's, Hawkins)	Five	Five	Yes	Adequate

32.	Sims's Speculum	Five	Five	Yes	Adequate
33.	Cusco's Speculum	Five	Five	Yes	Adequate
34.	Anterior Vaginal Wall retractor	Five	Five	Yes	Adequate
35.	Uterine sound	Five	Five	Yes	Adequate
36.	Voisellum	Five	Five	Yes	Adequate
37.	MTP Suction Currate	Five	Five	Yes	Adequate
38.	Retractors abdominal (Doyle's etc.)	Five	Five	Yes	Adequate
39.	Sponge holding forceps	Five	Five	Yes	Adequate
40.	Green armytage forceps	Five	Five	Yes	Adequate
41.	Uterus holding forceps	Five	Five	Yes	Adequate
42.	Kocher's forceps	Five	Five	Yes	Adequate
43.	Artery forceps (Long, short, Mosquito) Each	Five	Five	Yes	Adequate
44.	Scissors- different sizes	Five	Five	Yes	Adequate
45.	Forceps obstetrics	Five	Five	Yes	Adequate
46.	Endotrachial tubes	Five	Five	Yes	Adequate
47.	Cord Cutting appliances	Five	Five	Yes	Adequate
48.	I.U.C.D. removing hook	Five	Five	Yes	Adequate
49.	Bladder Sound	Five	Five	Yes	Adequate
50.	B.P. apparatus	Two	Two	Yes	Adequate
51.	HIV kit for emergency patients	Assorted	Available	Yes	Adequate
52.	Plain and Hole towels	Assorted	Available	Yes	Adequate
53.	Towel Clips	Assorted	Available	Yes	Adequate
54.	Catguts and Thread	Assorted	Available	Yes	Adequate
55.	Needles	Assorted	Available	Yes	Adequate
56.	Needle holders	Assorted	Available	Yes	Adequate



**(G) DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR OPERATION THEATRE**


S.No.	Equipment and Instruments	Required Quantity	Available Quantity	Details on College Website	Adequate/Inadequate
I	Shalya:				
1.	Spot light (Shadow less ceiling fitted)	One	One	Yes	Adequate
2.	Needle holding Forceps (big- medium-small)	Assorted	Available	Yes	Adequate
3.	Dressing drums of Assorted size	Assorted	Available	Yes	Adequate
4.	Drum stand	Assorted	Available	Yes	Adequate
5.	IV Stand	Two	Two	Yes	Adequate
6.	Cheatles Forceps	Four	Four	Yes	Adequate
7.	Mosquito forceps	Four	Four	Yes	Adequate
8.	Scissors straight (Tailor)	Four	Four	Yes	Adequate
9.	Scissors curved of different sizes	Five each	Five each	Yes	Adequate
10.	Stitch removal scissors	Five each	Five each	Yes	Adequate
11.	Dissection forceps	Four	Four	Yes	Adequate
12.	Sinus Forceps	Four	Four	Yes	Adequate
13.	Probes - Assorted size	Five each	Five each	Yes	Adequate
14.	Pointed scissors	Four	Four	Yes	Adequate
15.	Abdominal Retractors	Five	Five	Yes	Adequate
16.	Tissue Forceps	Five	Five	Yes	Adequate
17.	Bob Kock's Forceps	Five	Five	Yes	Adequate
18.	Kocher's Forceps	Five	Five	Yes	Adequate
19.	Urethral Dilators	Five each	Five each	Yes	Adequate
20.	Metal Catheters	Five each	Five each	Yes	Adequate
21.	Sponge holding forceps	Four	Four	Yes	Adequate
22.	Right Angle cholecystectomy Forceps	Four	Four	Yes	Adequate
23.	Stone holding forceps	Four	Four	Yes	Adequate
24.	Allies Forceps small	Four	Four	Yes	Adequate
25.	Allies Forceps Big	Four	Four	Yes	Adequate
26.	Artery Forceps small	Four	Four	Yes	Adequate
27.	Artery Forceps big	Four	Four	Yes	Adequate
28.	Artery Forceps Medium	Four	Four	Yes	Adequate
29.	Sigmoidoscope Rigid/flexible	One	One	Yes	Adequate
30.	Barron Pile's Gun	Two	Two	Yes	Adequate
31.	Laryngoscope Pediatric/Adult	One	One	Yes	Adequate
32.	Boyles Apparatus	One	One	Yes	Adequate
33.	Multi-parameter Monitor	One	One	Yes	Adequate



34.	Ambu Bag	Two	Two	Yes	Adequate
35.	Suction machine Electrical or Manual	One	One	Yes	Adequate
36.	Skin grafting knife with handle	Assorted	Available	Yes	Adequate
37.	Surgical blades of different size	Assorted	Available	Yes	Adequate
38.	Self-Retaining Retractor	Assorted	Available	Yes	Adequate
39.	Bone cutter	Two	Two	Yes	Adequate
40.	Gigli Saw	Two	Two	Yes	Adequate
41.	Scoop	Assorted	Available	Yes	Adequate
42.	Periosteum elevator	Two	Two	Yes	Adequate
43.	Maggles Forceps	Assorted	Available	Yes	Adequate
44.	High Pressure Autoclave	One	One	Yes	Adequate
45.	Nitrous Oxide Cylinder	One	One	Yes	Adequate
46.	Hydraulic Operation Table	One	One	Yes	Adequate
47.	Boyle's Apparatus	One	One	Yes	Adequate
48.	Instrument Trolley	Assorted	Available	Yes	Adequate
49.	Endotracheal Tube	Assorted	Available	Yes	Adequate
50.	Proctoscope with or without illumination	Two	Two	Yes	Adequate
51.	Gabrial Syringe	One	One	Yes	Adequate
52.	Strecher with trolley	Two	Two	Yes	Adequate
53.	Suction Machine	Assorted	Available	Yes	Adequate
54.	Emergency power back up facility	Assorted	Available	Yes	Adequate
55.	Emergency light	Four	Four	Yes	Adequate
56.	Fire Extinguisher	Two	Two	Yes	Adequate
57.	BP Apparatus	Assorted	Available	Yes	Adequate
58.	Fumigator	One	One	Yes	Adequate
59.	Refrigerator	One	One	Yes	Adequate
60.	X-ray View Box (double)	Two	Two	Yes	Adequate
61.	Revolving Stool	Assorted	Available	Yes	Adequate
62.	Vertical BP Instrument	One	One	Yes	Adequate
63.	Rubber catheters of Assorted size	Assorted	Available	Yes	Adequate
<b>Miscellaneous</b>					
64.	Corrugated rubber drain	Assorted	Available	Yes	Adequate
65.	Suturing Needle (straight/curved) of Assorted size	Assorted	Available	Yes	Adequate
66.	Surgical Thread	Assorted	Available	Yes	Adequate
67.	BP Handle of different size	Assorted	Available	Yes	Adequate
68.	Needle holder	Assorted	Available	Yes	Adequate
<b>II</b>					
<b>Shalakya: Ophthalmic Equipment or Instruments for Operative Surgery</b>					
<b>Essential</b>					



69.	Ophthalmic Operation table with Head rest	One	One	Yes	Adequate
70.	Sterilizing box/case with matts	Assorted	Available	Yes	Adequate
71.	Lens insertion Forceps	Assorted	Available	Yes	Adequate
72.	Keratome	Assorted	Available	Yes	Adequate
73.	Desmarres lid retractors	Assorted	Available	Yes	Adequate
74.	Cat-paw lacrimal retractor	Assorted	Available	Yes	Adequate
75.	Mueller lacrimal sac retractor	Assorted	Available	Yes	Adequate
76.	Dastoor iris retractor	Assorted	Available	Yes	Adequate
77.	Meyrhoefer Chalazioncurrete	Assorted	Available	Yes	Adequate
78.	Sinsky lens manipulating hook	Assorted	Available	Yes	Adequate
79.	IOL Manipulator	Assorted	Available	Yes	Adequate
80.	Foreign body spud	Assorted	Available	Yes	Adequate
81.	Lewis lens loop (vectis)	Assorted	Available	Yes	Adequate
82.	Cystotome and spoon	Assorted	Available	Yes	Adequate
83.	Mule Evisceration spoon	Assorted	Available	Yes	Adequate
84.	Iris repository (double-ended)	Assorted	Available	Yes	Adequate
85.	Jameson muscle hook	Assorted	Available	Yes	Adequate
86.	Wills cautery with copper ball-point	Assorted	Available	Yes	Adequate
87.	Langs lacrimal sac dissector	Assorted	Available	Yes	Adequate
88.	Kelly Glaucoma punch	Assorted	Available	Yes	Adequate
89.	Elevator (double ended)	Assorted	Available	Yes	Adequate
90.	Nasal speculum adult/child	Assorted	Available	Yes	Adequate
91.	Wilder punctum Dilator	Assorted	Available	Yes	Adequate
92.	Bowman lacrimal probes	Assorted	Available	Yes	Adequate
93.	Hartman mosquito forceps	Assorted	Available	Yes	Adequate
94.	Colibri forceps 1*2 teeth	Assorted	Available	Yes	Adequate
95.	Mc. person corneal forceps with tying platform	Assorted	Available	Yes	Adequate
96.	Dressing forceps, serrated	Assorted	Available	Yes	Adequate
97.	Moorfieldconjunctival forceps	Assorted	Available	Yes	Adequate
98.	Fixation forceps	Assorted	Available	Yes	Adequate
99.	Beer cilea (epilation) forceps	Assorted	Available	Yes	Adequate
100.	Arruga capsular forceps	Assorted	Available	Yes	Adequate
101.	Snellen Entropion clamp	Assorted	Available	Yes	Adequate
102.	Chalazion clamps	Assorted	Available	Yes	Adequate
103.	Vannas straight scissors	Assorted	Available	Yes	Adequate
104.	Barraquer needle holder	Assorted	Available	Yes	Adequate
105.	Air injection cannula	Assorted	Available	Yes	Adequate
106.	Healon aspirating cannula	Assorted	Available	Yes	Adequate
107.	AC washout cannula	Assorted	Available	Yes	Adequate
108.	Lacrimal cannula	Assorted	Available	Yes	Adequate



109.	Hydrodialysis cannula	Assorted	Available	Yes	Adequate
110.	J-loop cannula (Right/Left With silicon tubing)	Assorted	Available	Yes	Adequate
111.	Simcok direct I/A cannula with silicon tubing	Assorted	Available	Yes	Adequate
112.	Irrigating aspirating handle	Assorted	Available	Yes	Adequate
113.	Lens dialer	Assorted	Available	Yes	Adequate
114.	Superior Rectus forceps	Assorted	Available	Yes	Adequate
115.	Eye wash glasses (for Tarpana Karma)	Assorted	Available	Yes	Adequate
116.	Swimming Goggles (for Tarpana Karma)	Assorted	Available	Yes	Adequate
III	ENT-Surgical or Operative Procedural Instruments				
Essential					
117.	Aural Syringe	Assorted	Available	Yes	Adequate
118.	Jobson's Aural Probe	Assorted	Available	Yes	Adequate
119.	Eustachian Catheter	Assorted	Available	Yes	Adequate
120.	Mastoid Retractor	Assorted	Available	Yes	Adequate
121.	Mastoid Gouge	Assorted	Available	Yes	Adequate
122.	Mallet	Assorted	Available	Yes	Adequate
123.	Nasal Foreign Body hook	Assorted	Available	Yes	Adequate
124.	Nasal packing forceps	Assorted	Available	Yes	Adequate
125.	Nasal Snare	Assorted	Available	Yes	Adequate
126.	Bayonet Shaped gouge	Assorted	Available	Yes	Adequate
127.	Walsham forceps	Assorted	Available	Yes	Adequate
128.	Laryngeal forceps	Assorted	Available	Yes	Adequate
129.	Tongue plate with throat suction	Assorted	Available	Yes	Adequate
130.	Tonsil holding forceps	Assorted	Available	Yes	Adequate
131.	Tonsillar suction	Assorted	Available	Yes	Adequate
132.	Adenoid curette with cage	Assorted	Available	Yes	Adequate
133.	Peritonsillarabcess draining forceps	Assorted	Available	Yes	Adequate
134.	Fuller's Tracheostomy Tube	Assorted	Available	Yes	Adequate
135.	Cheatel's Forceps	Assorted	Available	Yes	Adequate
Miscellaneous					
136.	Other consumable articles like gloves, syringes, bandages. sutras. etc.	Assorted	Available	Yes	Adequate



# DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR OUT PATIENT DEPARTMENT

S. No.	Name of Out Patient Department	Article required as per norms of CCIM	Required Quantity	Available Quantity	Details on College Website	Adequate/ Inadequate
1	Kayachikitsa					
Essential						
		X-Ray View Box	One	One	Yes	Adequate
		BP Apparatus	Two	Two	Yes	Adequate
		Stethoscope	Four	Four	Yes	Adequate
		Torch	Two	Two	Yes	Adequate
		Examination Table	One	One	Yes	Adequate
		Thermometer	Four	Four	Yes	Adequate
		Tongue depressor	Five	Five	Yes	Adequate
		Weight and height measuring stand	One	One	Yes	Adequate
		Measuring tape	One	One	Yes	Adequate
		Knee Hammer	Two	Two	Yes	Adequate
Miscellaneous						
		Gloves	Assorted	Available	Yes	Adequate
2	Shalya					
Essential						
		X-Ray Viewing Box	One	One	Yes	Adequate
		Stethoscope	Four	Four	Yes	Adequate
		Instruments for ano-rectal examination	Two sets	Two sets	Yes	Adequate
		Examination Table	One	One	Yes	Adequate
		BP Apparatus	Two	Two	Yes	Adequate
		Thermometer	Four	Four	Yes	Adequate
		Torch	Assorted	Available	Yes	Adequate
		Cheatle forceps	Assorted	Available	Yes	Adequate
General						
		Minor OT	Assorted	Available	Yes	Adequate
Miscellaneous						
		Surgical Blades	Assorted	Available	Yes	Adequate
3	Shalakya					
Essential						
		Tuning forks	Assorted	Available	Yes	Adequate
		Ophthalmoscope/ fundoscope	Two	Two	Yes	Adequate
		Auroscope	Two	Two	Yes	Adequate
		Examination Table	One	One	Yes	Adequate
		X-Ray Viewing Box	One	One	Yes	Adequate
		BP Apparatus	Two	Two	Yes	Adequate
		Stethoscope	Four	Four	Yes	Adequate
		Thermometer	Four	Four	Yes	Adequate
		ENT kit	Assorted	Available	Yes	Adequate
		Torch	Two	Two	Yes	Adequate



		Bull's lamp	One	One	Yes	Adequate
4	Prasuti and Stri Roga					
<b>Essential</b>						
		Weighing machine	One	One	Yes	Adequate
		Sims's speculum	Two	Two	Yes	Adequate
		Thermometer	Four	Four	Yes	Adequate
		Cusco's speculum	Two	Two	Yes	Adequate
		Examination Table	One	One	Yes	Adequate
		Lamp stand	One	One	Yes	Adequate
		Torch	Two	Two	Yes	Adequate
		X-Ray Viewing Box	One	One	Yes	Adequate
		BP Apparatus	Two	Two	Yes	Adequate
		Stethoscope	Four	Four	Yes	Adequate
		Measuring tape	Two	Two	Yes	Adequate
5	Bal Roga					
<b>Essential</b>						
		Scale	One	One	Yes	Adequate
		Weighing machine	One	One	Yes	Adequate
		Torch	Two	Two	Yes	Adequate
		X-Ray View Box	One	One	Yes	Adequate
		Thermometer	Four	Four	Yes	Adequate
		BP Apparatus with Pediatric cuff	Two	Two	Yes	Adequate
		Stethoscope	Assorted	Available	Yes	Adequate
		Examination Table	Assorted	Available	Yes	Adequate
6	Panchkarma	As per Kayachikitsa				
7	Yoga Section (Swasth Rakhshan)	Facilities available (Equipment, Instrument, Furniture etc)	Assorted	Available	Yes	Adequate
8	Emergency	Facilities available (Equipment, Instrument, Furniture etc)	Assorted	Available	Yes	Adequate

